

# SAFETY DATA SHEET

Issue Date 12-2-2014

Revision Date 6 -23-2015

Version 1

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product Identifier

Product Name Force

### Other Means of Identification

SDS # 1211

Product Code 1211

### Recommended Use of the Chemical and Restrictions on Use

#### Recommended Use

Super strength degreaser

### Details of the Supplier of the Safety Data Sheet

#### Supplier Address

CORRELATED PRODUCTS, INC.  
5616 PROGRESS ROAD  
INDIANAPOLIS, IN 46241

### Emergency Telephone Number

Company Phone Number 1-800-428-3266

Emergency Telephone 1-800-424-9300

## 2. HAZARDS IDENTIFICATION

### GHS Classification

Skin Corrosion/Irritation: Category 1

Eye Damage/Irritation: Category 1

### Signal Word

DANGER

### Symbols



### Emergency Overview:

Physical State: Liquid

Color: Red

Odor: Sassafrass

**OSHA/HCS status:** This material is considered hazardous by the OSHA Hazard Communication Standard(29 CFR 1910.1200).

**Hazard Statements**

CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.

**Precautionary Statements-Prevention**

Wash face, hands and any exposed skin thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not breathe dusts or mists.

**Precautionary Statements – Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a poison center or doctor.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

**Precautionary Statements – Storage**

Store locked up.

**Precautionary Statements – Disposal**

Dispose of contents/container to an approved waste disposal plant.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Water	7732-18-5	84
Sodium Metasilicate	6834-92-0	1-5
Ethylene Glycol Monobutyl Ether	111-76-2	5-10
Potassium Hydroxide	1310-58-3	1-5
Xylene Sulfonate	1300-72-7	0-5
Surfactant	26027-38-3	0-5

The balance of the chemicals in this mixture are either considered nonhazardous or are below the listing limits for hazardous substances. These chemicals are considered trade secrets. The specific identity of these chemicals is available to health professionals.

**4. FIRST AID MEASURES****First Aid Measures****Eye Contact**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

**Skin Contact**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower). Wash contaminated clothing before reuse.

**Inhalation**

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

**Ingestion** IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Call a poison center or doctor if you feel unwell.

**Most Important Symptoms and Effects, both Acute and Delayed**

**Symptoms** Direct contact with eyes causes serious damage. Substance causes skin burns. Harmful if swallowed.

**Indication of any Immediate Medical Attention and Special Treatment Needed**

**Note to Physicians** Treat symptomatically.

**5. FIRE-FIGHTING MEASURES**

**Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

**Unsuitable Extinguishing Media**

None

**Specific Hazards Arising from the Chemical**

Dried product is capable of burning. Combustion products are toxic.

**Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions, Protective Equipment and Emergency Procedures**

**Personal Precautions** Use personal protective equipment as required. Isolate area. Keep unnecessary personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

**Methods and Material for Containment and Cleaning Up**

**Methods for Containment** For small spills, absorb on poly-pads or other suitable non-reactive absorbent material. Prevent further leakage or spillage if safe to do so.

**Methods for Cleaning Up** Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

**7. HANDLING AND STORAGE**

**Precautions for Safe Handling**

**Advice on Safe Handling** Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist.

**Conditions for Safe Storage, Including any Incompatibilities**

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

**Incompatible Materials** Strong acids/bleaches.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

Chemical Name	ACHIH TLV	OSHA PEL	NIOSH IDLH
Sodium Metasilicate 6834-92-0	No data available	No data available	No data available
Ethylene Glycol Monobutyl Ether 111-76-2	20 ppm TWA	50 ppm, 24 mg/m <sup>3</sup> TWA OSHA Z-1 240 mg/m <sup>3</sup> TWA OSHA P0	5 ppm, 24 mg.m <sup>3</sup> TWA
Potassium Hydroxide 1310-58-3	2 mg/m <sup>3</sup>	2mg/m <sup>3</sup>	No data available
Sodium Xylene Sulfonate 1300-72-7	No data available	No data available	No data available
Surfactant 26027-38-3	No data available	No data available	No data available

**Recommended monitoring procedures:** If this product contains ingredients with exposure limits, personal, workplace atmosphere or other biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

**Appropriate Engineering Controls:** Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

**Hygiene measures:** Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and the using the bathroom and at the end of the working periods.

### Individual Protection Measures, such as Personal Protective Equipment

<b>Eye/Face Protection</b>	Avoid contact with eyes. Wear safety eyewear.
<b>Skin and Body Protection</b>	Wear suitable protective clothing. Use impervious gloves.
<b>Respiratory Protection</b>	Not required with expected use. Ensure adequate ventilation, especially in confined areas.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Sassafrass
Appearance	Liquid	Odor Threshold	Not determined
Color	Red		

<u>Property</u>	<u>Values</u>
pH	13
Melting Point/Freezing Point	Not determined
Boiling Point/Boiling Range	212 Deg F
Flash Point	n/a (tcp)
Evaporation Rate	(H <sub>20</sub> =1) =1
Flammability (Solid, Gas)	n/a-liquid
Upper Flammability Limits	UEL=n/a
Lower Flammability Limits	LEL=n/a
Vapor Pressure	20@68F
Vapor Density	Not determined
Specific Gravity	1.06
Water Solubility	Soluble in water
Solubility in Other Solvents	Not determined
Partition Coefficient	Not determined

Autoignition Temperature	Not determined
Decomposition Temperature Kinematic	Not determined
Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties Oxidizing Properties	Not determined
	Not determined

## 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive under normal conditions.

### Chemical Stability

Stable under recommended storage conditions.

### Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization**      Hazardous polymerization does not occur.

### Conditions to Avoid

Keep out of reach of children.

### Incompatible Materials

Strong acids/bleaches

### Hazardous Decomposition Products

Will not occur.

## 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

#### Product Information

**Eye Contact**      Causes serious eye damage .                      **Skin Contact**      Causes severe skin burns.

**Inhalation**      Irritating to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.

**Ingestion**      Harmful if swallowed.

### Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	90,000 mg/kg (rat)	Data not available	Data not available
Sodium Metasilicate 6834-92-0	2350 mg/kg (rat)	Data not available	Data not available
Ethylene Glycol Monobutyl Ether 111-76-2	1200 mg/kg (guinea pig)	>2,000 mg/kg	663, ppm 4 h
Potassium Hydroxide 1310-58-3	273 mg/kg (rat)	Data not available	Data not available
Sodium Xylene Sulfonate 1300-72-7	7,200 ml/kg (rat)	>2,000 mg/kg (rabbit)	Data not available
Surfactant 26027-38-3	3,000 mg/kg (rat)	2,500 mg/kg (rat)	<b>Data not available</b>

## Information on Physical, Chemical and Toxicological Effects

### Symptoms

Please see section 4 of this SDS for symptoms.

## Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

### Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

## Numerical Measures of Toxicity

ATEmix-oral: 5,405 mg/kg

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Material may be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sodium Metasilicate 6834-92-0	EC50: (Scenedesmus subspicatus): 72 h: .207 mg/L	LC50: 96 h (Brachydanio rerio): 210 mg/L	Data not available	EC50: Daphnia magna 48h: >1700 mg/l
Ethylene Glycol Monobutyl Ether 111-76-2	EC50 (Pseudokirchneriella subcapitata (green algae)): 911 mg/l. Endpoint: Biomass Exposure time: 72h	LC50 (Oncorhynchus mykiss (rainbow trout): 1,474 mg/l. Exposure time: 96h	Data not available	EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48h Test type: static test
Potassium Hydroxide 1310-58-3	Data not available	Data not available	Data not available	Data not available
Sodium Xylene Sulfonate 1300-72-7	EC50 algae: 230 mg/kg	Rainbow Trout 96h: >1000 mg/l	Data not available	Daphnia magna 48h: >1000 mg/l
Surfactant 26027-38-3	EC50: (Scenedesmus subspicatus): .0325 mg/L	LC50: (Oryzias latipes): 29.9 mg/L (Brachydanio rerio): 33.5 mg/L	Data not available	Ec50: (Daphnia magna): 7.4 mg/L

### Persistence and Degradability

Not determined

### Bioaccumulation

Not expected to bioaccumulate significantly.

### Other Adverse Effects

Not determined

### 13. DISPOSAL CONSIDERATIONS

#### Waste Treatment Methods

- Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and regulations.
- Contaminated Packaging** Disposal should be in accordance with applicable regional, national and local laws and regulations.

### 14. TRANSPORT INFORMATION

- Note** Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.
- DOT** Not regulated.
- IATA** Not available.
- IMDG** Not available.
- TDG** Not regulated.

### 15. REGULATORY INFORMATION

#### International Inventories

Not determined

#### US Federal Regulations

**SARA 313** Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight-%
ETHYLENE GLYCOL MONOBUTYL ETHER	111-76-2	5%

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Ethylene Glycol Monobutyl Ether	90-100%	90-100%	90-100%
Potassium Hydroxide	X	X	X

**California Prop 65:** This product contains no chemicals known to the State of California to cause cancer and reproductive toxicity.

### 16. OTHER INFORMATION

<b>NFPA</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Instability</b>	<b>Special Hazards</b>
	Not determined	Not determined	Not determined	Not determined
<b>HMIS</b>	<b>Health Hazards</b>	<b>Flammability</b>	<b>Physical Hazards</b>	<b>Personal Protection</b>
	2	0	0	B

**Issue Date** December- 02-2014  
**Revision Date** June-23-2015  
**Revision Note** change

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**