SAFETY DATA SHEET

Issue Date 01-Feb-2015 **Revision Date** November 2023 (Updated Address)

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name Sierra

Other means of identification

Product Code Synonyms Sierra High Solids Floor Finish

Details of the supplier of the safety data sheet

Company Name and Address CORRELATED PRODUCTS, A division of Waverly Industries, LLC.

145 W Shore Dr. Culver, IN 46511

PHONE: 1-800-428-3266

Emergency telephone number

Emergency Telephone 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 5
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 3

Label elements

Emergency Overview

Warning

Hazard statements

May be harmful if swallowed Causes mild skin irritation Harmful to aquatic life with long lasting effects

Appearance Opaque Physical state Liquid Odor Slight Ammonia

Precautionary Statements - Prevention

Avoid release to the environment

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell Specific Treatment (See Section 4 on the SDS)

If skin irritation occurs: Get medical advice/attention

Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity 0.309465% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Styrene Acrylic CoPolymer	Proprietary	10-30	*
Tributoxyethyl Phosphate	78-51-3	1-5	*
2-(2-ethoxyethoxy)ethanol	111-90-0	1-5	*
[2-(2-Methoxymethylethoxy)methylethoxy]-propanol	25498-49-1	1-5	*
Zinc Ammonium Chloride	38714-47-5	1-5	*
2-(2-methoxypropoxy)propanol	34590-94-8	1-5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Skin Contact Wash off immediately with plenty of water. Wash skin with soap and water.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Inhalation Remove to fresh air.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms Any additional important symptoms and effects are described in Section 11: Toxicology

Information.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No Information available.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materialsNone known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines Exposure guidelines noted for ingredient(s).

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
2-(2-methoxypropoxy)propanol	STEL: 150 ppm	TWA: 100 ppm	IDLH: 600 ppm
34590-94-8	TWA: 100 ppm	TWA: 600 mg/m ³	TWA: 100 ppm
	S*	(vacated) TWA: 100 ppm	TWA: 600 mg/m ³
		(vacated) TWA: 600 mg/m ³	STEL: 150 ppm
		(vacated) STEL: 150 ppm	STEL: 900 mg/m ³
		(vacated) STEL: 900 mg/m ³	
		(vacated) S*	
		S*	
Zinc oxide	STEL: 10 mg/m ³ respirable fraction	TWA: 5 mg/m ³ fume	IDLH: 500 mg/m ³
1314-13-2	TWA: 2 mg/m ³ respirable fraction		Ceiling: 15 mg/m ³ dust
		TWA: 5 mg/m ³ respirable fraction	TWA: 5 mg/m ³ dust and fume
		(vacated) TWA: 5 mg/m³ fume	STEL: 10 mg/m ³ fume
		(vacated) TWA: 10 mg/m ³ total	
		dust	
		(vacated) TWA: 5 mg/m ³ respirable	
		fraction	
		(vacated) STEL: 10 mg/m ³ fume	

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers, Eyewash stations & Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection No Information available. Avoid contact with eyes.

Skin and body protection No Information available. Wear impervious protective clothing, including boots, gloves, lab

coat, apron or coveralls, as appropriate, to prevent skin contact.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

> respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid **Appearance** Opaque Color White

Slight Ammonia Odor

No Information available **Odor threshold**

Remarks • Method Values Property

Hq 8.5 - 9.5**Specific Gravity** 1.055

Viscosity <100 cP @ 25°C Melting point/freezing point No Information available Flash point >200 Above 200°F

Boiling point / boiling range >= 212 ° F (at 760 mm Hg) **Evaporation rate** No Information available

Flammability (solid, gas) Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available Water solubility No Information available Partition coefficient No Information available **Autoignition temperature** No Information available **Decomposition temperature** No Information available

Other Information

Density Lbs/Gal 8.80 **VOC Content (%)** 7.85

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation No data available. Avoid breathing vapors or mists.

Eye contact No data available. Avoid contact with eyes.

Skin Contact Avoid contact with skin. Causes mild skin irritation.

Ingestion May be harmful if swallowed. Do not taste or swallow. Not an expected route of exposure.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Polyethylene Emulsion	> 10000 mg/kg (Rat)	-	-
Polypropylene Emulsion	> 10000 mg/kg (Rat)	-	-
2-(2-ethoxyethoxy)ethanol 111-90-0	= 1920 mg/kg (Rat)	= 4200 μL/kg (Rabbit)= 6 mL/kg (Rat)	> 5240 mg/m³ (Rat) 4 h
2-(2-methoxypropoxy)propanol 34590-94-8	= 5230 mg/kg (Rat)	= 9500 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo Information available.Germ cell mutagenicityNo Information available.CarcinogenicityNo Information available.Reproductive toxicityNo Information available.STOT - single exposureNo Information available.STOT - repeated exposureNo Information available.

Target organ effects Central nervous system, EYES, Respiratory system.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0.309465% of the mixture consists of ingredient(s) of unknown toxicity

12. ECOLOGICAL INFORMATION

Ecotoxicity

39.47245% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Tributoxyethyl Phosphate 78-51-3	-	10.4 - 12.0: 96 h Pimephales promelas mg/L LC50 flow-through	-
2-(2-ethoxyethoxy)ethanol 111-90-0	-	10000: 96 h Lepomis macrochirus mg/L LC50 static 19100 - 23900: 96 h Lepomis macrochirus mg/L LC50 flow-through 11400 - 15700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 11600 - 16700: 96 h Pimephales promelas mg/L LC50 flow-through 13400: 96 h Salmo gairdneri mg/L LC50 flow-through	3940 - 4670: 48 h Daphnia magna mg/L EC50
[2-(2- Methoxymethylethoxy)methylethoxy] -propanol 25498-49-1	-	11619: 96 h Pimephales promelas mg/L LC50 static	10: 48 h Daphnia magna mg/L EC50
2-(2-methoxypropoxy)propanol 34590-94-8	-	10000: 96 h Pimephales promelas mg/L LC50 static	1919: 48 h Daphnia magna mg/L LC50
Methyl Chloro Isothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static 0.31: 120 h Anabaena flos-aquae mg/L EC50	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static
Magnesium Chloride 7786-30-3	2200: 72 h Desmodesmus subspicatus mg/L EC50	1970 - 3880: 96 h Pimephales promelas mg/L LC50 static 4210: 96 h Gambusia affinis mg/L LC50 static	140: 48 h Daphnia magna mg/L EC50 Static 1400: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Tributoxyethyl Phosphate	4.78
78-51-3	
2-(2-ethoxyethoxy)ethanol	-0.8
111-90-0	
2-(2-methoxypropoxy)propanol	-0.064
34590-94-8	

Other adverse effects

No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Zinc Ammonium Chloride	Toxic
38714-47-5	

14. TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. For additional information, please contact the distributor listed in section 1 of this SDS.

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA Complies DSL/NDSL Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
2-(2-ethoxyethoxy)ethanol - 111-90-0	1.0
[2-(2-Methoxymethylethoxy)methylethoxy]-propanol - 25498-49-1	1.0
Zinc Ammonium Chloride - 38714-47-5	1.0
2-(2-methoxypropoxy)propanol - 34590-94-8	1.0

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Zinc Ammonium Chloride 38714-47-5	-	X	-	-

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
2-(2-ethoxyethoxy)ethanol	X	-	X
111-90-0			

[2-(2-	X	-	Х
Methoxymethylethoxy)methylethoxy]			
-propanol			
25498-49-1			
Zinc Ammonium Chloride	X	-	X
38714-47-5			
2-(2-methoxypropoxy)propano	X	X	Χ
34590-94-8			
Magnesium Nitrate	X	X	Χ
10377-60-3			

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

16. OTHER INFORMATION

NFPAHealth hazards1Flammability0Instability0Physical and Chemical PropertiesHMISHealth hazards1Flammability0Physical hazards0Personal protectionB

Issue Date01-01-2015Revision DateNovember 2023Revision NoteUpdated address

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet