

SAFETY DATA SHEET

Issue Date 12-2-2014 Revision Date address update 11-13-23

Version 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Aluma-Brite

Recommended Use of the Chemical and Restrictions on Use

Recommended Use Acid Truck Cleaner

Company Address:

CORRELATED PRODUCTS

A division of Waverly Industries, LLC.
145 W Shore Dr. Culver, IN 46511

Emergency Telephone Number

Company Phone Number 1-800-428-3266

Emergency Telephone 1-800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity-Oral: Category 3

Acute Toxicity-Dermal: Category 2

Acute Toxicity-Inhalation: Category 4

Skin Corrosion/Irritation: Category 1

Eye Damage/Irritation: Category 1

Corrosive to Metals: Category 1

Signal Word

DANGER

Symbols



Emergency Overview:

Physical State: Liquid

Color: Red

Odor: Characteristic

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard(29 CFR 1910.1200).

Hazard Statements

TOXIC IF SWALLOWED.
FATAL IN CONTACT WITH SKIN.
HARMFUL IF INHALED.
CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
MAY BE CORROSIVE TO METALS.

Precautionary Statements-Prevention

Do not eat, drink or smoke when using this product.
Do not get in eyes, on skin, or on clothing.
Wash face, hands and any exposed skin thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not breathe dusts/ mists/fume/vapors/spray.
Keep only in original container.
Use only outdoors or in a well-ventilated area.

Precautionary Statements – Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower).
Wash contaminated clothing before reuse.
Immediately call a poison center or doctor.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
Immediately call a poison center or doctor.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.
IF SWALLOWED: Immediately call a poison center/doctor.
Rinse mouth. Do NOT induce vomiting.
Absorb spillage to prevent material damage.

Precautionary Statements – Storage

Store locked up.
Store in corrosive resistant container with resistant inner liner.

Precautionary Statements – Disposal

Dispose of contents/container in accordance with local, state and federal regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	80-85
Sulfuric Acid	7664-93-9	5-10
Ethylene Glycol Monobutyl Ether	111-76-2	1-5
Hydrofluoric Acid	7664-39-3	1-5
Phosphoric Acid	7664-38-2	1-5

The balance of the chemicals in this mixture are either considered nonhazardous or are below the listing limits for hazardous substances. These chemicals are considered trade secrets. The specific identity of these chemicals is available to health professionals.

4. FIRST AID MEASURES

First Aid Measures

Eye Contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Skin Contact

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water (or shower). Wash contaminated clothing before reuse. Immediately call a poison center or doctor.

Inhalation

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor.

Ingestion

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor.

Most Important Symptoms and Effects, both Acute and Delayed

Symptoms

Symptoms of poisoning may appear several hours later. Direct contact with eyes causes serious damage. Substance causes skin burns. Harmful if swallowed. Keep out of reach of children.

Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians

Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

High volume jet water

Specific Hazards Arising from the Chemical

Fluorine compounds, carbon dioxide, carbon monoxide, smoke.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions

Use personal protective equipment as required. Isolate area. Keep unnecessary personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering.

Methods and Material for Containment and Cleaning Up

Methods for Containment

For small spills, absorb on poly-pads or other suitable non-reactive absorbent material. Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up

Sweep up and shovel into suitable containers for disposal. Discard any product, residue, disposable container or liner in full compliance with federal, state, and local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Advice on Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protection recommended in Section 8. Use only in well-ventilated areas. Do not breathe vapors or spray mist.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Prevent unauthorized access. Keep out of the reach of children.

Incompatible Materials

Strong bases, bleach., oxidizers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phosphoric Acid	3 mg/m ³ STEL 1 mg/m ³ TWA	1 mg/m ³ TWA	3 mg/m ³ STEL 1 mg/m ³ TWA
Sulfuric Acid	0.2 mg/m ³ TWA	None Known	None Known
Ethylene Glycol Monobutyl Ether 111-76-2	20 ppm TWA	50 ppm, 24 mg/m ³ TWA OSHA Z-1 240 mg/m ³ TWA OSHA P0	5 ppm, 24 mg/m ³ TWA
Hydrofluoric Acid	0.5 ppm TWA 2 ppm C	3 ppm TWA	3 ppm TWA 2.5 mg/m ³

Recommended monitoring procedures: If this product contains ingredients with exposure limits, personal, workplace atmosphere or other biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Appropriate Engineering Controls: Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and the using the bathroom and at the end of the working periods.

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection

Wear safety goggles. Wear face-shield and protective suit.

Skin and Body Protection

Wear suitable protective clothing. Use impervious gloves.

Respiratory Protection

Not required with expected use. Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State	Liquid	Odor	Characteristic
Appearance	Liquid	Odor Threshold	Not determined
Color	Red		

Property

Values

pH	1
Melting Point/Freezing Point	Not determined
Boiling Point/Boiling Range	104 Deg C

Flash Point	n/a (tcp)
Evaporation Rate	(H20=1) =1
Flammability (Solid, Gas)	n/a-liquid
Upper Flammability Limits	UEL=n/a
Lower Flammability Limits	LEL=n/a
Vapor Pressure	20@68F
Vapor Density	Not determined
Specific Gravity	1.055
Water Solubility	Soluble in water
Solubility in Other Solvents	Not determined
Partition Coefficient	Not determined
Auto ignition Temperature	Not determined
Decomposition Temperature Kinematic	Not determined
Viscosity	Not determined
Dynamic Viscosity	Not determined
Explosive Properties Oxidizing	Not determined
Properties	Not determined

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to Avoid

No data available.

Incompatible Materials

Strong bases/bleach/oxidizers.

Hazardous Decomposition Products

Hydrogen fluoride, sulfur oxides, carbon dioxide, carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Eye Contact Causes severe eye damage.

Skin Contact Causes severe skin burns.

Effects may be delayed for several hours after exposure.

Inhalation Irritating to the mucus membranes of the respiratory tract. Nasal discomfort and coughing.

Ingestion Harmful if swallowed.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	90,000 mg/kg (rat)	Data not available	Data not available

Sulfuric Acid 7664-93-9	mg/kg (rat)	Data not available	Data not available
Ethylene Glycol Monobutyl Ether 111-76-2	1200 mg/kg (guinea pig)	>2,000 mg/kg	663, ppm 4 h
Hydrofluoric Acid 7664-39-3	130 mg/kg (rat)	Data not available	Data not available
Phosphoric Acid 7664-38-2	1,530 mg/kg (rat)	2740 mg/kg (rabbit)	213 mg/m3 (rat)

Information on Physical, Chemical and Toxicological Effects

Symptoms

Please see section 4 of this SDS for symptoms.

Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

Carcinogenicity

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.

Numerical Measures of Toxicity

ATEmix-oral: 140 mg/kg ATEmix-dermal: 142 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Material may be toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Sulfuric Acid 7664-93-9	Data not available	LC50(Pimephales promelas (fathead minnow)): 58.8 -84 mg/L. 96 h	Data not available	Data not available
Ethylene Glycol Monobutyl Ether 111-76-2	EC50 (Pseudokirchneriella subcapitata (green algae)): 911 mg/l. Endpoint: Biomass Exposure time: 72h	LC50 (Oncorhynchus mykiss (rainbow trout): 1,474 mg/l. Exposure time: 96h	Data not available	EC50 (Daphnia magna (Water flea)): 1,800 mg/l Exposure time: 48h Test type: static test
Hydrofluoric Acid 7664-39-3	Data not available	Data not available	Data not available	Data not available
Phosphoric Acid 7664-38-2	Data not available	LC50: 138 mg/L Mosquitofish 96 h	Data not available	Data not available

Persistence and Degradability

Not determined

Bioaccumulation

Not determined.

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated Packaging

Disposal should be in accordance with applicable regional, national and local laws and regulations. Do not reuse empty containers.

14. TRANSPORT INFORMATION

Note

Please see current shipping paper for most up to date shipping information, including exemptions and special circumstances.

DOT

UN 2922, CORROSIVE LIQUIDS, TOXIC, N.O.S. (HYDROFLUORIC ACID, SULFURIC ACID), 8, (6.1), II

IATA

Not available.

IMDG

Not available.

IDG

Not available.

15. REGULATORY INFORMATION

International Inventories

Not determined

US Federal Regulations

CERCLA

Chemical Name	CAS No	Reportable Quantity (RQ)
Hydrofluoric Acid	7664-39-3	100 lbs

SARA 304 Extremely Hazardous Substances

Chemical Name	CAS No	Reportable Quantity (RQ)
Hydrofluoric Acid	7664-39-3	100 lbs
Sulfuric Acid	7664-93-9	1,000 lbs

SARA 313 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical which is subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical Name	CAS No	Weight-%
Hydrofluoric Acid	7664-39-3	10-15
Sulfuric Acid	7664-93-9	10-15
Ethylene Glycol Monobutyl Ether	111-76-2	1.947
Phosphoric Acid	7664-38-2	1-5

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Hydrofluoric Acid	X	X	X
Ethylene Glycol Monobutyl Ether	X	X	X

Phosphoric Acid 7664-38-2		X	X
------------------------------	--	---	---

California Prop 65: This product contains no chemicals known to the State of California to cause cancer and reproductive toxicity.

16. OTHER INFORMATION

NEPA	Health Hazards Not determined	Flammability Not determined	Instability Not determined	Special Hazards Not determined
HMIS	Health Hazards 3	Flammability 0	Physical Hazards 0	Personal Protection C

Issue Date December- 02-2014
Revision Date November 13, 2023
Revision Note address

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet